Herpetologica, 55(4), 1999, 579–587
© 1999 by The Herpetologists' League, Inc.

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 55 December 1999

Ablepharus 560
alaicus 546
Abronia 559
anzuetoi 161–162, 164–165, 170–172
aurita 161–162, 164–165, 169–173
"aurita" 172
campbelli 161–162, 164–165, 169–173
***meledona* 163**–166, 168–173
taeniata 162
vasconcelosii 161–162, 164–165, 169–173
Acacia anegadensis 7, 11
Acanthodactylus boskianus 365
Acheta domestica 363
domesticus 224
Acris crepitans blanchardi 304, 316
Adelotus brevis 276, 278
Adenocarpus 532
Agalychnis litodryas 126
Agama agama 209
caucasia 209
Agkistrodon 558
Agrostis 532
Ahaetulla 558
Alchemilla pectinata 386
procumbens 386
Allobates 255
Alnus acuminata 386
Altiphrynoides 120, 123
malcomi 125
Alytes obstetricans 423
Ambystoma 293
Amphiesma ishigakiense 558
pryeri 546
Amplorhinus 558
Andinophryne 117, 120
colomai 125
Andropogon spp. 500, 504
Anguis 559
Anolis 159–160
aeneus 229, 236, 240, 348
brevirostris 229
carolinensis 222–225, 227–232, 234, 236–237, 240
cupreus 242
cybotes 229, 243
distichus 242–246
limifrons 229
nebulosus 229
porcartus 232
sagrei 231, 234–236, 238–241
Anomalopus 546, 560
Ansonia 120, 123
albomaculata 125
longidigitata 125
malayana 125
Aparallactus jacksoni 546, 558
Argenteohyla 437, 443–444
Aromobates 106, 255–256
Ascaphus 286–287, 289–290
truei 283–285, 288
Assa darlingtoni 273, 276–277, 279
Atelophryniscus 117, 120
chrysophorus 125
Atelopus 116–117, 119–121, 124, 325
certus 125
chiriquiensis 123, 125
cruciger 125
ebenoides 125
glyphus 125
*ignescens*125
mindoensis 125
oxyrhynchus 118, 125
pachydermus 125
peruensis 125
senex 125
various 125
varius 123
zeteki 331
zitecki 294
Atheris 558
Atriplex 532
Atropoides nummifer 386
Auriculabronia 162, 165, 170, 172
Bambusicola thoracica 490
Barisia 559
Batrachoseps 131
Bellis 532
Berberis 386
Bitis 558
Bolitoglossa 131
morio 169
Bothrops 387, 558
alternatus 200–202
cotiara 202
fonsecai 202
jararaca 200–203
moojeni 202–203
Brachycephalus 325
ephippium 126, 331
Bufo 116
alvarius 123, 125, 334, 337–343
americanus 123, 125, 304, 342
angusticeps 125
arabicus 126
arenarum 119, 126
asper 123, 125
atacamensis 120, 126
bankorensis 121, 125
biporcatus 123, 125
blanfordi 125

blombergi 126
bocourti 123, 125
boreas 123, 125, 421
brauni 126
bufo 117, 123, 125, 334, 342
calamita 123, 126, 342
camerunensis 126
campbelli 126
canaliferus 126
canorus 123
ceratophrys 119, 126
chilensis 119, 126
coccifer 125
cognatus 123, 125, 334, 337–343
compactilis 121, 125
coniferus 123, 126
cophotis 126
corynetes 126
cristatus 126
crucifer 118, 120–121, 125
dapsilis 119, 126
debilis 123, 126
dhufarensis 126
dorbignyi 126
exsul 118, 121, 123
fastidiosus 123, 126
fergusoni 126
fowleri 342
funereus 126
gallardoi 126
gargarizans 123, 125
gariepensis 123, 125
garmani 123, 126
glaberrimus 126
gracilipes 126
granulosus 123, 126
guttatus 123, 126
gutturalis 126
haematiticus 123, 126
hemiophrys 125
himalayanus 126
holdridgei 126
houstonensis 342
ibarrai 126
ictericus 126
japonicus 125
juxtasper 125
kelloggi 126
kisolensis 126
kisoloensis 123
langanoensis 125
latifrons 126
lemairii 126
lemairli 126
leutkeni 126
limensis 117, 126
macrocristatus 126
maculatus 123, 126
marinus 112, 114, 123, 126, 192–198, 273, 423
marmoreus 126
mauritanicus 123, 126
mazatlanensis 123, 126
melanochloris 117, 123–124, 126
melanostictus 123, 126
microscaphus 123, 125, 342
occidentalis 126
ocellatus 126
paracnemis 126
pardalis 126, 342
parvus 125
pentoni 126, 342
periglenes 123, 126
perplexus 126
poepiggii 126
poweri 126
punctatus 121, 123, 126, 334, 337–342
pygmaeus 126
quercicus 123, 126
raddei 126, 342
rangeri 126
regularis 126
retiformis 123
rubropunctatus 126
rufus 126
speciosus 123, 125
spinulosus 123, 126
steindachneri 123, 126
stomaticus 126
tacanensis 119, 123, 126
taitanus 123, 126
terrestris 123, 125
tuberosus 126
typhonius 119, 123, 126
valliceps 117, 123, 126
veraguensis 126
vertebralis 123, 126
viridis 123, 126
woodhousei 123
woodhouseii 125
woodhouseii fowleri 302
woodhousii 341
Buteo 535
Byrsonima cuneata 15
lucida 11–12, 14–15
Callisaurus draconoides 449, 451, 466
draconoides splendidus 449, 451
Callosciurus erythraeus 490
Calothamnus quadrifidus 353
sanguineus 353
Campanile 158
Capensibufo 117, 120, 123
tradouwi 126
Caretta caretta 209
Caudiverbera caudiverbera 126
Celestes 559
Cerastes vipera 558
Ceratophrys 115, 123
calcarata 126
cornuta 126
cranwelli 126
ornata 126
Cerrophidion 386
barbouri 382–383, 387, 389
godmani 169, 171, 382–383, 387, 389
***petlalcalensis* 382**–383, 385, 387, 389
tzotzilorum 382–383, 387, 389
Chalcides chalcides 219
Chamaeleo bitaeniatus 559

chamaeleon 523
pumilis 559
Chamaesaura 559
Charactosuchus kugleri 157
Chirixalus doriae 398
vittatus 398
Chlamydosaurus kingii 205–207, 209–210
Chletra 386
Chrysemys ornata cataspila 479
Cnemidophorus 447
bacatus 449, 455–456, 468
beldingi 38
caeruleus 28
canus 449, 456–457, 468
carmenensis 28, 30–42
catalinensis 456
celeripes 35, 449, 456, 468
ceralbensis 28–36, 41–42
danheimae 28, 30–42
deppei 29–33
dickersonae 457
disparilis 457
espiritensis 28, 30–41
estebanensis 457
franciscensis 28, 30–42
gularis sericus 39
guttatus 30–33
hyperythra 38
hyperythrus 28–42
hyperythrus beldingi 28, 38
hyperythrus caeruleaus 38–39
hyperythrus carmenensis 28, 38
hyperythrus danheimae 28, 39
hyperythrus espiritensis 28, 39
hyperythrus franciscensis 28, 40
hyperythrus hyperythrus 28, 38–40
hyperythrus pictus 28, 40
hyperythrus schmidti 28
lemniscatus caeruleus 39
lineatissimus 29–33, 41
martyris 449, 456–457, 468
pictus 28, 30–42
punctilineatus 457
sericeus 39
sexlineatus 38
tessellatus tessellatus 457
tigris 35, 449, 455–457, 468
tigris aethiops 455
tigris bocatus 449, 455
tigris canus 449, 456
tigris celeripes 449, 456
tigris dickersonae 457
tigris disparalis 449, 457
tigris estebanensis 449, 457
tigris gracilis 457
tigris martyris 449, 456–457
tigris maximus 456
tigris multiscutatus 457
tigris rubidus 457
tigris tigris 456
tigris variolosus 456
Cocoloba 14
krugii 11
uvifera 7–8, 11–12, 15
Coleonyx gypsicolus 449, 468
mitratus 212–213, 215, 217–218
switaki 454, 468
switaki gypsicolus 449, 454
switaki switaki 454
variegatus 449, 454, 468
variegatus slevini 449, 454
Colinus virginianus 20
Colostethus 255–256
collaris 113
larandinus 106, 113
subpunctatus 296
talamancae 257, 259–262, 265
Commelina 386
Conopsis 558
Conospermum stoechadis 353
Cophotis ceylanica 546, 559
Cordia rupicola 11, 15
Cordicephalus 140, 154–155
gracilis 139
longicostatus 139
Cordylosaurus subtessellatus 362
Cordylus 559
cordylus 361–368
Coronella austriaca 546, 558
Corucia 560
Corvus 535
corone 533
Corytophanes percarinatus 171, 546, 559
Crataegus 532
Crepidophryne 117, 120, 123
epiotica 126
Crinia parinsignifera 273
signifera 273
Crossodactylus 325, 332
gaudichaudii 331
Crossopetalum rhacoma 11
Crotalus 460, 545, 558
angelensis 449, 462
atrox 469
enyo 449, 461
enyo cerralvensis 449, 461
estebanensis 449
exsul 461
lorenzoensis 449
mitchellii 31, 461
mitchellii angelensis 449, 461
mitchellii mitchellii 461
mitchellii muertensis 449, 461–462
mitchellii pyrrhus 461
mitchellii stephensi 461
molossus 386, 462
molossus estebanensis 449, 462
muertensis 449
ruber 461
ruber lorenzoensis 449, 461
ruber ruber 461
tortugensis 469
triseriatus 386
viridis 202
Crotaphytus collaris 516–517, 519, 521
Croton 15
astroites 14
discolor 11–12, 14

linearis 14
rigidus 14
Cryptotis 387
Ctenoblepharus nigriceps 559
Ctenosaura conspicuosa 449–450, 466
hemilopha 449–450, 466
hemilopha conspicuosa 448–449
hemilopha hemilopha 449
hemilopha insulana 449–450
hemilopha macrolopha 449–450
hemilopha nolascensis 448–450
insulana 450
macrolopha 449–450
nolascensis 449–450, 466
Ctenotus 546
fallens 352–355, 357–360
lesueuri 353
pantherinus 359
robustus 353
taeniolatus 359
Cuora flavomarginata evelynae 487
flavomarginata flavomarginata 487–496
flavomarginata sinensis 487
Cupressus sempervirens 524
Cyclodina 560
Cyclorana brevipes 193–197
Cyclura 159
carinata 14–15
collei 14
nubila caymanensis 521
pinguis 7–9, 11–16
Cynops pyrrogaster 137
Cystus 532
Cytisus 532
Dactylis 532
Dendrobates 254, 325
arboreus 255, 257, 260–262, 265
auratus 255–258, 260–262, 265
azureus 255–256
fantasticus 256–257, 260–262, 265
granuliferus 255–257, 260–262
histrionicus 255–257, 260–262, 265
imitator 256
lehmanni 256
leucomelas 255–257, 260–262, 265
pumilio 255–257, 260–262, 265
quinquevittatus 256
reticulatus 255–256
speciosus 255–257, 260–262, 265
tinctorius 255–256
truncatus 255–256
vanzolinii 256, 261
variablis 256
ventrimaculatus 256–257, 260–262, 265
Dendrophryniscus 116–117, 120, 123
brevipollicatus 126
leucomystax 126
minutus 126
Desmognathus ochrophaeus 51
Didynamipus 117, 120, 123–124
sjoestedi 126
Diploglossus pleei 559
Dipsosaurus catalinensis 449, 466
dorsalis 449–451, 466
dorsalis carmenensis 449–451
dorsalis catalinensis 449, 451
Dodonaea viscosa 11–12, 14–15
Drosophila melanogaster 249, 345
Dryandra armata 353
E. coli 133
Echinotriton 292
Echis carinatus 558
Egernia 560
striolata 352
Elaeodendron xylocarpum 11–12
Elaphe 25
obsoleta spiloides 18–19
rufodorsata 546, 558
Eleutherodactylus 159
augusti 126
bufoniformis 122, 126
johnstonei 424
raniformis 126
Elgaria 545, 559
Emys cataspila 479
ventricosa 479
Ensatina 97
Eopelobates 139
Eovasum 158
Eoxenopoides 154–155
reuningi 140
Epipedobates 255–256
Eremias przewalskii 559
Erica 532
Eridiphas marcosensis 449
slevini 458
slevini marcosensis 449, 458
slevini slevini 458
Erithalis fruticosa 11, 14
Ernodea littoralis 11, 15
Eublepharis macularius 209, 212–213, 215–219
Eucalyptus 524
Eugenia axillaris 11
sp. 12
Eulamprus 353, 560
quoyii 359
Eumeces 531, 551, 553–554, 561–562
brevirostris 560
lynxe 560
Fagus 532
Falco 535
Felis catus 534–535
silvestris 535
Festuca 532
Ficus citrifolia 7
Galactia 504
Gasterosteus aculeatus 350
Gastrotheca albolineata 401–405
albomarginata 401
microdiscus 401, 405
ovifera 404–405
Gaultheria 386
Gekko gecko 213
Genetta genetta 535
Geophis rhodogaster 169
Geranium 386
Gerrhosaurus nigrolineatus 361–362, 367
validus 361–364, 366–367

Glaphyromorphus gracilipes 560
nigricaudis 560
Gnypetoscincus 560
Gopherus polyphemus 499, 501
Graptemys spp. 484
Halenia schiedeana 386
Helicops 558
Hemachatus 558
haemachatus 546
Hemiaspis 558
Hemidactylus turcicus 212, 214–215, 218
Hemiergis 560
peronii 359
Hemitheconyx caudicinctus 209
Hibbertia hypericoides 353
Hippomane 15
Hoplodactylus maculatus 213
Hydromantes 131
ambrosii 132–133, 135–137
flavus 132–133, 135–137
genei 132–137
imperialis 132–133, 135–137
italicus 132–133, 136–137
shastae 132–136
strinatii 132
supramontis 132–137
"*Hydromantoides*" 131
Hyla 123
albolineata 401, 404
chrysoscelis 323
cinerea 315
crepitans 112
ebraccata 316
faber 332
geographica 118, 122, 126
labialis 295–303
langsdorffii 433
leucopygia 332
microcephala 316
rodriguezi 433
Hylarana adenopleura 399
daunchina 399
Hylodes asper 324–332
phyllodes 328, 332
Hyperolius tuberlinguis 316
Hypnale 558
Hypopachus barberi 171
Hypsiglena gularis 449
torquata 449, 458–459, 469
torquata catalinae 449, 458
torquata gularis 449, 458–459
torquata tiburonensis 449, 459
torquata tortugensis 449, 459
Hyrachus 158
Iguana 158
iguana 520
Ilex spp. 500
vomitoria 500
Ischnocnema quixensis 126
Isopachys 560
Isopogon spp. 353
Ixodes ricinus 1–2
Juniperus 532
Lacerta agilis 523
vivipara 546, 551, 554, 559
Lampropeltis catalinensis 449, 459, 469
getula 459
getula catalinensis 449, 459
getula nigirta 459
getula splendida 459
Lanius 535
Lantana involucrata 11–12, 14–15
Larus cachinnans 533
cachinnans michaellis 535
Lavandula 532
Lavatera 532
Leiocephalus 159
Leiolopisma 560–561
Lepidobatrachus 115
asper 126
Lepidophyma 182–183
Lepomis cyanellus 350
gibbosus 350
Leptodactylus 123
albilabris 304–305
fuscus 332
macrosternum 193–196
pentadactylus 122, 126, 193
podicipinus
sp. 112
wagneri 112
Leptophryne 117, 120, 123
borbonica 126
Leptotyphlops humilis 449, 457–458, 468
humilis levitoni 449, 457–458
humilis lidsayi 458
humilis lindsayi 458
Lerista bougainvilli 554, 560
bougainvillii 546
microtis 546, 560
Limnodynastes ornatus 193–197
peronii 276, 278
Liocarcinus depurator 344, 348
Liolaemus 159, 559
Lipinia 560
Litoria 325, 331
alboguttata 193–197
chloris 276
gracilenta 193–197, 276
fallax 276
latopalmata 276
lesueuri 276, 278
pearsoniana 273, 276, 278
peronii 276
rubella 193–197
tyleri 276, 278
verreauxii 273, 276
Lobularia 532
Lobulia 560
Lygosoma laeviceps 560
tanae 560
Mabuya 367
aurata 560
brevicollis 560
capensis 560
multifasciata 560
striata 365, 560
sulcata 560

Macrogenioglottus 115
alipioi 122, 126
Macropodus opercularis 350
Malus 532
Malva 532
Mannophryne 255
collaris 106, 108
cordilleriana 106, 108
herminae 106–109, 113
lamarcai 106–**107**–109, 111–113
larandina 106, 109, 113
neblina 106, 108–109
oblitterata 106, 108
olmonae 106, 108–109
riveroi 106, 108
trinitatis 106, 108–109
yustizi 106, 108
Masticophis aurigulus 449, 459–460, 469
aurigulus aurigulus 449, 459
aurigulus barbouri 449, 459
barbouri 449, 460, 469
bilineatus 460, 469
bilineatus bilineatus 459
bilineatus slevini 449, 459
lateralis 460, 469
slevini 449, 460, 469
Mauremys mutica 490
Megaelosia 325, 331
Melaleuca 353
Melanophryniscus 120, 123–124, 292
moreirae 126
rubriventris 117, 126
stelzneri 126
tumifrons 126
Meliphaga virescens 231
Mertensiella caucasica 292
Mertensophryne 123
Mesaspis moreletii 169, 171
Metopium 15
Microhyla butleri 398
heymonsi 398
Miconia 386
Milvus 535
Minyobates 255
minutus 256
Mixophyes fasciolatus 276, 278
fleayi 273
iteratus 273
Monopeltis 559
Monticola 535
Mus domesticus 20, 23
Mus musculus 363
Musca aff. calliphora 297
Mustella nivalis 535
Myoporum tenuifolius 524
Natrix 562
"Natrix" 562
Necora puber 344, 348
Nectophryne 117, 120
afra 126
batesi 126
Nectophrynoides 117, 123
osgoodi 120, 126
tornieri 126
viviparus 126
Nephelobates 106, 255
Nerium oleander 524
Nerodia 562
Nesomantis thomasseti 126
Niveoscincus 560
Niviventer coxingi 490
Norops crassulus 169, 171
Notoscincus 546
O. margaretta 500
Odontophrynus americanus 122, 126
Oedura marmorata 212, 214–219
reticulata 212, 214–218
Opheodrys vernalis 546, 558
Ophiodes 559
Ophisaurus 561
Ophryacus undulatus 386
Oreophrynella 120, 123–124
quelchi 126
Osornophryne 117, 120, 123–124
bufoniformis 126
guacamayo 126
Osteocephalus buckleyi 433, 436–437, 442, 444–445
cabrerai 433, 436, 442, 445
elkejungingerae 433, 437
langsdorffii 435, 445
leprieurii 433–436, 442–444
oophagus 433, 436
pearsoni 433, 436
planiceps 433–437, 439–445
sp. 436, 442–443, 446
subtilis 433, 436
taurinus 433, 435–437, 442–444, 446
verrucifer 433, 436, 446
yasuni 433–**435**, 436–444, 446
Osteopilus septentrionalis 126
Oxyuranus 546
Padogobius martensi 348
Palaeobatrachus 139–140, 154–155
Pedostibes 117, 120, 123
hosii 126
Pelobates 155
Pelophryne 117, 123–124
brevipes 126
Pelophylax pleuraden 399
Peltophryne 117, 120, 123
empusus 126
fluviaticus 126
guentheri 126
peltocephalus 126
Petrosaurus 378
mearnsi 449, 451–452, 467
mearnsi mearnsi 449, 451
mearnsi slevini 449, 451
repens 449, 452, 467
slevini 449, 451–452, 467
thalassinus 376–377, 449, 451–452, 467
thalassinus repens 449, 451–452
thalassinus thalassinus 449, 451–452
Philautus cavirostris 398
Phobobates trivittatus 255, 257–262, 265
Phrynocephalus 559
theobaldi 546
Phrynohyas 437, 443–444

Phrynosoma 559
Phyllobates 255–256
Phyllodactylus angelensis 449, 455
apricus 449, 455
bugastrolepis 454
homolepidurus 449, 454–455
homolepidurus homolepidurus 455
homolepidurus nolascoensis 449
partitus 454–455
reisii 213
santacruzensis 449, 455
tinklei 449, 455
unctus 454–455
xanti 449, 454–455
xanti acorius 449
xanti angulus 449, 454
xanti circus 449, 454
xanti coronatus 449, 454
xanti estebanensis 449, 454
Phyllomedusa 331
burmeisteri 325
distincta 325
Phyllorhynchus arenicola 459–460
decurtatus 449, 459–460, 469
decurtatus arenicola 449, 459–460
Phymaturus 559
Physalaemus pustulosus 323
Physignathus lesueurii 209
Pimelodella kronei 348
Pinus elliotti 500
nigra 532
palustris 499
patula 386
pseudostrobus 386
Pisonia subcordata 7
Pituophis vertebralis 31
Plantago 386, 532
Platysaurus broadleyi 367
capensis 367
pungweensis 361–367
Plethodon 132
albagula 50–51
angusticlavius 58, 344–346
caddoensis 50
chlorobryonis 51
cinereus 43–62, 64–68, 73, 75, 78–79, 87–89, 91, 97, 248–249, 252–253, 345, 349, 359
cylindraceus 50–51, 64
dorsalis 43–44, 58, 345
dorsalis angusticlavius 344
electromorphus 43–47, 49–51, 53–58, 60, 62–64, **66**, 73, 78–82, 88–101, 103–104
fourchensis 50, 97
glutinosus 43, 51, 56, 64–65
grobmani 64
hoffmani 43–47, 49–59, 61–67, 73, 75–77, 85–88, 99
hubrichti 43, 45–47, 49–51, 55–59, 61, 63, 74, 83–84, 90
jordani 50–51, 64, 349
nettingi 43, 45–47, 49–51, 55–56, 58–61, 63–65, 68, 73, 76–77, 87–88
ouachitae 50, 97
punctatus 59, 67
richmondi 43–47, 49–51, 53–59, 61–63, 65–66, 74, 81–84, 90–102, 104–105
richmondi popei 62
serratus 43–47, 49, 51, 55–58, 60–62, 74, 83–84, 90, 248–253
shenandoah 43–51, 53, 55–60, 63–64, 68–69, 73, 78–79, 87–88
teyahalee 50, 97
vehiculum 44, 248
ventralis 44, 58, 97
virginia 43–47, 49–53, 55–59, 62–65, **67**, 73, 75–76, 85–86
websteri 44, 58, 248–253
wehrlei 43, 59
welleri 43–44, 58, 249
Podarcis 530, 535
atrata 531–532, 536
bocagei 531–532
hispanica 531–532
muralis 531–532
Poecilia reticulata 231
Polychrus 159
Porthidium barbouri 387
dunni 387
godmani 387
nasutum 387
tzotzilorum 387
Prasinohaema 560
Proceratophrys boiei 118, 122, 126
Prorastomus sirenoides 158
Prosopis 174, 180–181
sp. 183
Proteus 115
anguinus 127
Prunella vulgaris 386
Prunus 532
Psammodromus algirus 1–2, 6
Psammodynastes 558
Psammophylax variabilis 546, 558
Pseudacris brimleyi 51
triseriata 508, 514
Pseudechis porphyriacus 546, 558
Pseudemoia coventryi 560
Pseudemys 472, 477
concinna concinna 484
scripta 470
scripta cataspila 479
Pseudobufo 117, 120, 123
subasper 121, 126
Pseudocordylus 559
Pseudoeurycea 387
exspectata 169
Pseudonaja 546
Pseudophryne 292
raveni 276, 278
Python 561
Pyxicephalus adspersus 121, 126
Quercus 386
humilis 532
ilex 532
incana 500
pyrenaica 2
Rana 123, 508

adenopleura 389–391, 398–400
arvalis 407
caldwelli 389–390
camerani 406–408, 413–415
"*camerani*" 408, 415–416
cameranoi 407
catesbeiana 121, 126, 201, 319, 423
chapaensis 389, 391, 398, 400
clamitans 304, 314
dalmatina 407
daunchina 389, 391, 398–400
esculenta 117, 121, 126
holtzi 407
lini 389–390, **391**–400
macrocnemis 406–408, 413–414
"*macrocnemis*" 415–416
macrocnemis camerani 408
perezi 423
pleuraden 389, 391, 398–400
psaltes 389–391, 398–400
ridibunda 423
rugosa 318–323
sylvatica 284
temporaria 407
virgatipes 304–306, 314–316
Retama monosperma 524
Reynosia 14
Rhacodactylus 1, 559
Rhacophorus rhodopus 398
Rhadinaea lachrimans 169
Rhamphophryne 117, 120, 123
acrolopha 126
festae 126
macrorhina 126
nicefori 126
proboscideus 126
sp. 126
Rheobatrachus silus 273
Rhinocheilus etheridgei 449, 460, 469
lecontei 460, 469
lecontei etheridgei 449
Rhinoderma darwini 126
Rhinophrynus 155
dorsalis 149
Rhynchosia 504
Rosmarinus officinalis 524
Rubus 532
Saiphos equalis 546, 560
Salamandra salamandra 292
Salix 524, 532
Saltenia 155
ibanezi 140, 154
Salvia 386
Sambucus 532
Sauromalus slevini 35
Scaphiopus couchii 334, 337–342, 507–509, 513–514
Sceloporous 159
Sceloporus 369
aeneus 554
angustus 559
bicanthalis 559
formosus 559
goldmani 559
grammicus 559
jarrovi 5
magister 376–378
smaragdinus 169
torquatus 559
zosteromus 31
Scelotes 560
Schismaderma 117, 120, 123
carens 126
Scinax rubra 126, 193, 195–196
Scincella 560
lateralis 352
Scincus 560
Sedum 532
Selaginella 386
Shelania pascuali 155
Shomronella 155
Sibon fischeri 169, 171
Silurana 151
Sinonatrix annularis 546, 558
Sistrurus 545, 558
ravus 386
Smilax 386
Smilisca baudinii 126
Solanum persicifolium 11, 15
Sphenomorphus 353, 359
fasciatus 560
fragilis 560
tympanum 353
variegatus 560
Staurois 325, 331
Stephopaedes 117, 120, 123
anotis 126
Suaeda vera 532
Tachymenis 558
Tarentola mauritanica 213, 218
Taudactylus 325, 331
diurnus 273
Telmatobius culeus 121, 126
hintoni 126
Tenebrio molitor 297, 363
Tephrosia 504
Tepuihyla 433
Terebellum 158
Ternstroemia 386
Terrapene carolina 494
Thamnophis 24, 545
fulvus 171
Thoraciliacus 145, 148–149, 152
rostriceps 139–144, 146–147, 150–151, 153–155, 157
Thorius 387
Tiliqua 560
Toluca 558
Trachemys decorata 472
decussata 472
dorbigni 472
gaigeae 470, 484
ornata 471
scripta cataspila 470–473, 476–477, 479, 481–482, 484, 486
scripta chichiriviche 472
scripta elegans 470–474, 476–477, 479–484, 486
scripta emolli 472
scripta gaigeae 470–474, 476–480, 482, 484, 486

scripta hartwegi 471
scripta ornata 484
scripta scripta 472, 477, 479
scripta taylori 471
scripta troosti 477
scripta venusta 472
scripta yaquia 472
stejnegeri 472
terrapen 472
Trachycephalus 122, 437, 443–444
nigromaculatus 126
Tribolonotus 560
Trifolium 532
Trimeresurus 562
okinavensis 558
wagleri 558
Triprion spatulatus 126
Triturus carnifex 423–431
carnifex carnifex 424, 426
carnifex macedonicus 424, 426
cristatus 423–431
cristatus carnifex 426
dobrogicus 242
helveticus 430
karelinii 424
marmoratus 431
vulgaris 430
vulgaris meridionalis 431
Trogonophis 559
Tropidurus 521
Trubella 117, 120, 123–124
skoptes 126
tothastes 126
Turdus 535
Typhlops 558
andamanensis 188
angolensis 189
beddomii 188, 191
bibronii 546
exiguus 185–191
floweri 188, 191
loveridgei 185–188, 190–191
mackinnoni 185
***meszoelyi* 185**–191
mirus 188, 191
porrectus 185, 187–191
"porrectus" 190
tindalli 188
venningi 185
Ulex 532
Urosaurus 371, 376
gadovi 378
graciosus 377
lahtelai 369–370, 372–375, 377–380
microscutatus 369–370, 372–373, 375, 377–379, 449, 452–453
"microscutatus" 377
nigricaudus 31, 369–370, 372–373, 375, 377–380, 449, 452–453, 467
"nigricaudus" 369
ornatus 370, 372–375
Uta 369
antiqua 449, 453
encantadae 453–454, 467
lowei 453–454, 467
palmeri 467
nolascensis 467
squamata 380, 467
stansburiana 31, 380, 449, 453–454, 467
stellata 449, 453
tumidarostra 453–454, 468
Vaccinium spp. 500
Velates 158
Verticaria beldingi 38
caerulea 38, 40
espiritensis 39
franciscensis 39
hyperythra 38
hyperythra beldingi 38
hyperythra beldingii 38
hyperythra hyperythra 38
hyperythrus schmidti 38
sericea 39
Vilcunia 559
Vipera lebetina 558
xanthina 558
Vitis 10
Vulpes vulpes 534–535
Vulpia 532
Werneria 117, 120, 123–124
mertensi 126
preussi 126
Wolterstorffina 117, 120
parvipalmata 121, 126
Xanthorrhoea drummondii 353
Xantusia bolsonae 174–176, 179, 181–184
henshawi 174–176, 179, 181, 184
riversiana 175–176, 179, 181–182, 184
***sanchezi* 174–176**, 177, 179–184
species 179, 184
vigilis 174–177, 180–183
vigilis arizonae 177–178, 182–184
vigilis extorris 177, 179, 182–184
vigilis gilberti 177, 179, 182–184
vigilis sierrae 177–178, 183–184
vigilis utahensis 177–178, 182–184
vigilis vigilis 176–178, 182–184
vigilis wigginsi 177–179, 182–184
Xenopus 123, 138, 151
laevis 116, 122, 126
romeri 140
Ziziphis rignonii 11

Herpetologica, 55(4), 1999, 588–589
© 1999 by The Herpetologists' League, Inc.

TOPICAL INDEX

HERPETOLOGICA

Volume 55 December 1999

ACOUSTIC COMMUNICATION, *Hylodes asper* 324–333.
ADVERTISEMENT CALL, *Rana rugosa* 318–324.
AGE, *Bufo alvarius, B. cognatus, B. punctatus,* and *Scaphiopus couchii* 334–343.
AGEING, *Ascaphus truei* tadpoles 283–291.
AGGRESSION, *Plethodon angusticlavius* 344–352.
ALLOZYMES, *Plethodon cinereus* group 43–90; *Plethodon electromorphus* and *P. richmondi* 91–105; *Triturus cristatus, T. carnifex,* and hybrids (Basin of Geneva) 423–433.
ANATOMY, *Typhlops meszoelyi* 185–191.
ANTIPREDATOR MECHANISMS, juvenile *Podarcis* (Spain) 530–537.
ANURAN LARVAE, effects of *Bufo marinus* toxins on 192–199.
ATLANTIC FOREST, *Hylodes asper* 324–333.
BEHAVIOR, *Ctenotus fallens* (territorial) 352–361; *Plethodon serratus* and *P. websteri* (intraspecific aggression) 248–254; *Rana virgatipes* 304–317.
BIOGEOGRAPHY, *Cnemidophorus hyperythrus* and subspecies of *C. ceralbensis* (Baja California) 28–42; *Urosaurus* (Baja California, México) 369–381; *Xantusia* 174–184.
BITE SCAR, *Ctenotus fallens* 352–361.
BODY SIZE, *Plethodon angusticlavius* (role in agonistic display) 344–352; *Scaphiopus couchii* (recently metamorphosed) 507–515.
BODY TEMPERATURE, juvenile and adult geckos (5 species) 212–222.
BREEDING, *Bufo alvarius, B. cognatus, B. punctatus,* and *Scaphiopus couchii* 334–343.
CHEMOSENSORY BEHAVIOR, cordyliform lizards (*Cordylus cordylus, Platysaurus pungweensis,* and *Gerrhosaurus validus*) 361–368.
CLIMATE, *Hyla labialis* (high Andes) 295–303.
CLINAL GEOGRAPHIC VARIATION, *Rana rugosa* 318–324.
CLINAL VARIATION, *Rana macrocnemis* and *R. camerani* (Caucasus) 406–417.
COLORATION, *Rana macrocnemis* and *R. camerani* (Caucasus) 406–417.
COMMUNICATION, *Anolis carolinensis* 222–234; *Rana virgatipes* 304–317.
COMPETITION, *Cyclura pinguis* (Anegada) 7–17.
CONSERVATION, *Mannophryne lamarcai* 106–114.
COPULATION DURATION, *Anolis sagrei* 234–241.
DIEL VARIATION, juvenile and adult geckos (preferred body temperature) 212–222.
DIET, *Cyclura pinguis* (Anegada) 7–17; *Scaphiopus couchii* (recently metamorphosed) 507–515.
DISPLAY, *Anolis carolinensis* 222–234.
ECTOPARASITES, *Psammodromus algirius* (Spain) 1–7.
EGG-GUARDING, in squamate reptiles (related to viviparity) 538–549, 550–555.
EVOLUTION, aggressive behavior (*Plethodon serratus* and *P. websteri*) 248–254; parental care (*Dendrobates*) 254–270; viviparity and egg-guarding (squamate reptiles) 550–555, 556–573.
EVOLUTIONARY CLASSIFICATION, reptiles on islands in the Gulf of California 446–469.
EXPERIENCE, *Plethodon angusticlavius* (role in agonistic display) 344–352.
FAT BODIES, bufonid toads 114–126.
FEMALE INTRASEXUAL AGGRESSION, *Crotaphytus collaris* (Oklahoma) 516–522.
FOOD DISTRIBUTION, *Anolis distichus* 242–247.
FORAGING, *Scaphiopus couchii* (recently metamorphosed) 507–515.
FORAGING BEHAVIOR, cordyliform lizards (*Cordylus cordylus, Platysaurus pungweensis,* and *Gerrhosaurus validus*) 361–368; *Elaphe obsoleta spiloides* (Tennessee) 18–28.
FOSSIL, Eocene lizard (Jamaica) 157–161; *Thoraciliacus rostriceps* (early Cretaceous pipid from Israel) 139–157.
GENE FLOW, *Urosaurus* (Baja California, México) 369–381.
GENOME SIZE, *Hydromantes* 131–139.
GEOGRAPHIC PROTEIN VARIATION, *Plethodon cinereus* group 43–90.
GROWTH, *Bufo alvarius, B. cognatus, B. punctatus,* and *Scaphiopus couchii* 334–343; *Gopherus polyphemus* (SC Alabama) 499–506.
HABITAT QUALITY, *Gopherus polyphemus* (SC Alabama) 499–506.
HABITAT SIMULATION, *Elaphe obsoleta spiloides* 18–28.
HABITAT STRUCTURAL COMPLEXITY, *Elaphe obsoleta spiloides* (related to predatory success) 18–28.
HEMOGLOBIN, *Trachemys* 470–487.
HOME RANGE, *Cyclura pinguis* (Anegada) 7–17.
HYBRIDIZATION, *Plethodon cinereus* group 43–90; *Plethodon electromorphus* and *P. richmondi* 91–105; *Trachemys* 470–487; *Triturus cristatus* and *T. carnifex* 423–433.
INCUBATION, *Chlamydosaurus kingii* 205–212.
INTROGRESSION, *Triturus cristatus* and *T. carnifex* (Basin of Geneva) 423–433.
ISOZYME ELECTROPHORESIS, *Urosaurus* (Baja California, México) 369–381.
LIFE HISTORY, *Ascaphus truei* 283–291; *Hyla labialis* (high Andes) 295–303.
MANNOSE 6-PHOSPHATE ISOMERASE, *Plethodon electromorphus* and *P. richmondi* 91–105.
MATING ASYNCHRONY, *Chamaeleo chamaeleon* (S Spain) 523–530.

MATURATION PHENOTYPE, *Hyla labialis* (high Andes) 295–303.
METAMORPHIC SIZE, *Hyla labialis* (high Andes) 295–303.
METAMORPHOSIS, *Ascaphus truei* 283–291.
MONITORING, amphibians (3 methods compared in Australia) 271–283.
MORPHOLOGY, bufonid toads (2 new features) 114–126; *Chlamydosaurus kingii* 205–212; *Trachemys* 470–487.
mtDNA, *Dendrobates* 254–270.
MYOLOGY, bufonid toads 114–126.
NEST DEFENSE, *Crotaphytus collaris* (Oklahoma) 516–522.
NEW SPECIES, *Abronia* ***meledona*** (Guatemala) 163; *Cerrophidion* ***petlalcalensis*** (Veracruz, México) 382; *Mannophryne* ***lamarcai*** (NW Venezuela) 106; *Osteocephalus* ***yasuni*** (Ecuador and Peru) 435; *Plethodon* ***electromorphus*** (Indiana, Kentucky, Ohio, Pennsylvania, and West Virginia) 66; *Plethodon* ***virginia*** (Virginia and West Virginia) 67; *Rana* ***lini*** (Yunnan, China) 391; *Typhlops* ***meszoelyi*** (NE India) 185; *Xantusia* ***sanchezi*** (Zacatecas) 176.
NUTRITIONAL STATE, *Anolis distichus* 242–247.
OSTEOLOGY, bufonid toads (sternum) 114–126.
OVIPARITY, in squamate reptiles (reversals from viviparity?) 538–549, 556–573.
PALATABILITY, *Bufo marinus* larvae 192–199.
PARENTAL CARE, *Dendrobates* 254–270.
PHENOTYPIC PLASTICITY, *Ascaphus truei* (age at metamorphosis) 283–291.
PHYLOGENETIC RELATIONSHIPS, species of *Hydromantes* 131–139.
PHYLOGENY, *Cnemidophorus hyperythrus* and subspecies of *C. ceralbensis* (Baja California) 28–42; of viviparity in squamate reptiles 538–549.
POPULATION DENSITY, *Cyclura pinguis* (Anegada) 7–17.
POPULATION STRUCTURE, *Cuora f. flavomarginata* (N Taiwan) 487–498.
PREDATION, juvenile *Podarcis* (related to tail coloration) 530–537.
PREDATION RISK, *Anolis distichus* 242–247.
PREDATOR-PREY INTERACTIONS, other anuran larvae and *Bufo marinus* larvae 192–199.
PREDATORY SUCCESS, *Elaphe obsoleta spiloides* (Tennessee) 18–28.
REDESCRIPTION, *Thoraciliacus rostriceps* (early Cretaceous pipid from Israel) 139–157.
REPETITIVE DNA, *Hydromantes* 131–139.
REPRODUCTION, *Cuora f. flavomarginata* (N Taiwan) 487–498; squamate reptiles 538–549, 556–573.
REPRODUCTIVE MODE, *Hylodes asper* 324–333.
SAMPLING TECHNIQUES, amphibians (3 methods compared in Australia) 271–283.
SERIAL POLYGYNY, *Chamaeleo chamaeleon* (S Spain) 523–530.
SEXUAL SIZE DIMORPHISM, *Cuora f. flavomarginata* (N Taiwan) 487–498.
SIZE-ASSORTMENT, *Chamaeleo chamaeleon* (S Spain) 523–530.
SIZE CLASSES, *Ascaphus truei* tadpoles 283–291.
SKIN POCKETS, *Psammodromus algirius* (role in concentrating ectoparasites) 1–7.
SONORAN DESERT, *Bufo alvarius, B. cognatus, B. punctatus,* and *Scaphiopus couchii* 334–343.
SPACE USE, *Anolis distichus* 242–247.
SPECIATION, *Plethodon cinereus* group 43–90.
SPECIES CONCEPT, reptiles on islands in the Gulf of California 446–469.
SPECIES TAXONOMY, *Trachemys* 470–487.
SPERM TRANSFER, *Anolis sagrei* 234–241.
SUBSPECIES, reptiles on islands in the Gulf of California 446–469.
SURVEY, amphibians (3 methods compared in Australia) 271–283.
SURVIVAL, *Hyla labialis* (high Andes) 295–303.
SYSTEMATICS, bufonid toads 114–126; *Hyla albolineata* (treated as *Gastrotheca albolineata*) 401–406; *Typhlops meszoelyi* 185–191; *Urosaurus* (Baja California, México) 369–381.
TADPOLE, *Ascaphus truei* (age at metamorphosis) 283–291; *Rana* ***lini*** (Yunnan, China) 391.
TAIL AUTOTOMY, *Ctenotus fallens* 352–361.
TAIL COLORATION, juvenile *Podarcis* (antipredator function) 530–537.
TAXONOMY, *Cnemidophorus hyperythrus* and subspecies of *C. ceralbensis* (Baja California) 28–42; *Colostethus larandinus* 106–114; *Rana macrocnemis* and *R. camerani* 406–417; reptiles on islands in the Gulf of California 446–469; *Thoraciliacus rostriceps* (early Cretaceous pipid from Israel) 139–157.
TEMPERATURE-DEPENDENT SEX DETERMINATION, *Chlamydosaurus kingii* 205–212.
TERRITORIALITY, *Plethodon angusticlavius* 344–352.
THERMOREGULATION, juvenile and adult geckos (related to diel variation in preferred body temperature) 212–222.
TOXICITY, *Bufo marinus* larvae 192–199.
TRANSITION ZONE, *Rana macrocnemis* and *R. camerani* 406–417.
VENOM ONTOGENY, *Bothrops jararaca* and *B. alternatus* 200–204.
VENOM SPECIFICITY, *Bothrops jararaca* and *B. alternatus* 200–204.
VENOM TOXICITY, juvenile and adult *Bothrops jararaca* and *B. alternatus* 200–204.
VISUAL COMMUNICATION, *Hylodes asper* 324–333.
VIVIPARITY, in squamate reptiles 538–549, 550–555, 556–573.
VOCALIZATION, *Rana* ***lini*** (Yunnan, China) 391; *Rana virgatipes* 304–317.
VON BERTALANFFY MODEL, applied to *Gopherus polyphemus* (SC Alabama) 499–506.